

The Fujitsu logo, featuring the word "FUJITSU" in a white, sans-serif font with a stylized infinity symbol above the "i".

FUJITSU

AUSTRALIA'S FAVOURITE AIR™

A photograph of a young couple sitting on a light-colored sofa in a bright, modern living room. The woman is in the foreground, wearing a black top and a pink floral skirt, smiling. The man is behind her, wearing a white t-shirt, also smiling. The room has large windows and greenery visible outside.

ARTG60LHTB

DUCTED

HIGH ENERGY EFFICIENCY | BACKED BY A 5 YEAR FULL PARTS & LABOUR WARRANTY

ARTG60LHTB



W H O L E H O M E C O M F O R T

COMPACT DESIGN

The ARTG60LHTB compact design provides you with a wide variety of installation options, without compromising its large airflow and high static pressure.

ENERGY EFFICIENCY

With built-in features such as high efficiency DC fan motors, high efficiency compressors, and intelligent control logic, these Air Conditioners use less power than ever before.

INDIVIDUAL AIR CONDITIONING FOR EACH ROOM

Fujitsu's optional Zone Control System allows you to manage the air conditioning in each individual room, helping you customise your needs to suit your lifestyle. Each system comes with a back-lit LCD wired remote controller, putting your comfort needs at your fingertips.

PEACE OF MIND

Fujitsu believes in the quality and reliability of every air conditioner they sell. This is why we're happy to provide a full 5 year parts and labour warranty across the domestic range.

T A N D C O N T R O L

FEATURES	ARTG60LHTB
Demand Control	√
Automatic air flow adjustment	√
Auto restart	√
Auto changeover	√
Economy mode	√
Program timer	√
Weekly timer	√
Weekly + setback timer	√

Model No.	Indoor unit		ARTG60LHTB
	Outdoor unit		AOTG60LATA
Operation Type			Reverse Cycle
Power Source	V/Ph/HZ		240/1/50
Capacity	Cooling	kW	15.8 (6.2-16.3)
	Heating	kW	18.0 (6.2-18.5)
Input Power	Cooling	kW	4.92 (Max 5.94)
	Heating	kW	4.98 (Max 5.94)
EER	Cooling	kW/kW	3.21
COP	Heating	kW/kW	3.60
Running Current	Cooling / Heating	Amps	20.7/21.0
Moisture Removal		L/Hr	1
Noise Level	Indoor Sound Pressure (High/Low)	dbA	46/36
	Outdoor Sound Pressure	dbA	57
	Outdoor Sound Power	dbA	75
Air Circulation (Indoor - High Fan)		l/sec	1,139
Net Dimensions HxWxD	Indoor Unit	mm	450 x 1,587 x 700
		kgs	94
	Outdoor Unit	mm	1290 × 900 × 330
		kgs	93
Piping Connections (Liquid / Suction)		mm	∅ 9.52 / ∅ 15.88
Max. Pipe Length		m	75
Max Height Difference		m	30
Operation Range	Cooling	°CDB	-15 to 46
	Heating	°CDB	-15 to 24
Refrigerant			R410A

FUJITSU



If you are looking for an air conditioner that you can trust to keep you comfortable all year round, my advice is to look no further than a Fujitsu.

They are efficient, effective, and beautifully designed, I should know, I bought one myself.

So for an air conditioner you can trust, go with the name you know, **Fujitsu, it's Australia's Favourite Air.**



Mark Taylor

FUJITSU GENERAL (AUST.) PTY LIMITED
ABN 55 001 229 554 • A SUBSIDIARY OF FUJITSU GENERAL LIMITED

www.fujitsugeneral.com.au
EMAIL contact@fujitsugeneral.com.au
PHONE 1300 882 201

